

Form PTO-1390 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE (REV 10-95) TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371		ATTORNEY'S DOCKET NUMBER 1918-010967
INTERNATIONAL APPLICATION NO. PCT/ZA00/00022	INTERNATIONAL FILING DATE 10.02.00 (10 February 2000)	U.S. APPLICATION NO. (if known, see 37 CFR 1.5) 09/890669
TITLE OF INVENTION FIREARM		
APPLICANT(S) FOR DO/EO/US Nicolaas Cornelius VAN ZYL		
<p>Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:</p> <ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input checked="" type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1). 4. <input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <ul style="list-style-type: none"> a. <input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input checked="" type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ul style="list-style-type: none"> a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been transmitted by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)) 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)) 10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). <p>Items 11. to 16. below concern document(s) or information included:</p> <ol style="list-style-type: none"> 11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input checked="" type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 14. <input type="checkbox"/> A substitute specification 15. <input type="checkbox"/> A change of power of attorney and/or address letter. 16. <input checked="" type="checkbox"/> Other items or information: <ul style="list-style-type: none"> a. WO 00/47942-Front Page with Abstract, Specification, Claims and Drawings (26 pp.) b. International Search Report (3 pp.) c. International Preliminary Examination Report (16 pp.) 		

U.S. APPLICATION NO. <small>Not known under CFR 1.491</small> 09/890669	INTERNATIONAL APPLICATION NO. PCT/ZA00/00022	ATTORNEY'S DOCKET NUMBER 1918-010967	
17. <input checked="" type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5)): Search Report has been prepared by the EPO or JPO..... \$860.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) \$690.00 No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2))..... \$710.00 Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO..... \$1000.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4)..... \$100.00		CALCULATIONS PTO USE ONLY	
ENTER APPROPRIATE BASIC FEE AMOUNT =		\$ 860.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input checked="" type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).		\$ 0.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total claims	23 - 20	3	X \$18.00 \$ 54.00
Independent claims	2 - 3 =	0	X \$80.00 \$ 0.00
MULTIPLE DEPENDENT CLAIM(S) (if applicable)		+ \$270.00	\$ 0.00
TOTAL OF ABOVE CALCULATIONS =		\$ 914.00	
Reduction of 1/2 for filing by small entity, if applicable.		\$ 0.00	
SUBTOTAL =		\$ 914.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)). +		\$ 0.00	
TOTAL NATIONAL FEE =		\$ 914.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +		\$ 40.00	
TOTAL FEES ENCLOSED =		\$ 954.00	
		Amount to be: Refunded	\$
		Charged	\$
a. <input checked="" type="checkbox"/> A check in the amount of \$ 954.00 to cover the above fees is enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Assistant Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>23-0650</u> . A duplicate copy of this sheet is enclosed.			
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.			
SEND ALL CORRESPONDENCE TO: Russell D. Orkin 700 Koppers Building 436 Seventh Avenue Pittsburgh, Pennsylvania 15219-1818 Telephone: (412) 471-8815 Facsimile: (412) 471-4094			
 SIGNATURE Paul M. Reznick NAME 31,059 REGISTRATION NUMBER			

09/890669

JC05 Rec'd PCT/PTO 03 AUG 2001

PATENT APPLICATION/PCT
Atty. Docket No. 1918-010967

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of :
Nicolaas Cornelius VAN ZYL : FIREARM
International Application :
No. PCT/ZA00/00022 :
International Filing Date :
10 February 2000 :
Priority Date Claimed :
11 February 1999 :
Serial No. Not Yet Assigned :
Filed Concurrently Herewith :
Pittsburgh Pennsylvania
August 3, 2001

PRELIMINARY AMENDMENT

BOX PCT
Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to initial examination, please amend the above-identified patent application as follows:

IN THE CLAIMS:

Original claims 1-20 were amended during Chapter II proceedings by substituting new claims 1-23 in a letter dated March 30, 2001. Please cancel original claims 1-20 and cancel amended claims 1-23 and rewrite them as new claims 24-46 as follows:

24. A firearm device comprising:
a firearm;
safety means for impeding an unauthorised person to fire the firearm; and
information storage means for recording and storing at least one aspect of the group consisting of an image in the direction in which a shot is in use fired, and a sound at about the time when a shot is in use fired.

25. The device of claim 24, wherein the firearm comprises a conventional firearm and wherein the information storage means stores a unique code relating to each projectile fired.

26. The device of claim 24, wherein the firearm includes a laser system for generating a laser beam to ignite a charge to fire a projectile.

27. The device of claim 26, wherein the firearm includes an electronic system for controlling firing of the firearm.

28. The device of claim 26, wherein the firearm includes a number of barrels and wherein the barrels are pre-loaded with projectiles and charges, which charges are ignitable by means of a laser beam.

29. The device of claim 24, wherein the safety means comprises an information carrier and/or gathering means; and a processing means for processing information received from the information carrier and/or gathering means and allowing firing

of the firearm to take place only if the information so received complies with certain requirements.

30. The device of claim 29, wherein the information carrier and/or gathering means includes an information carrier means whereupon information can be recorded.

31. The device of claim 30, wherein the carrier means comprises a card.

32. The device of claim 31, wherein the card has information recorded thereon in respect of physical information of the authorised user for identifying said user.

33. The device of claim 32, wherein the physical information comprises a fingerprint.

34. The device of claim 30, wherein the safety means includes reading means for reading information on the information carrier means.

35. The device of claim 29, wherein the information carrier and/or gathering means includes information gathering means for gathering certain physical information from the person to use the firearm, whereby said person can be identified.

36. The device of claim 35, in which the information gathering means is located on an operatively rear surface of a grip member of the device.

37. The device of claim 35, wherein the gathering means comprises means for recording a fingerprint of the person to use the firearm.

38. The device of claim 37, in which the means for recording a fingerprint is located on an operatively rear side of a grip member of the device.

39. The device of claim 38, in which the gathering means is located on the device such that a fingerprint of a user of the device can be recorded when the device is located in a holster therefor.

40. The device of claim 29, wherein the information carrier and/or gathering means includes both an information carrier means and an information gathering means.

41. The device of claim 29, wherein the processing means includes a memory means for storing information therein and the processing means in use comparing information received from the information carrier and/or gathering means with information on the memory means and only allowing firing to take place if the information corresponds.

42. The device of claim 24, wherein the information storage means is connected to at least one device of the group consisting of a digital camera for recording images, a microphone for recording sound, a timepiece for recording time, and a GPS for recording position in the form of geographical co-ordinates; and the information storage means is arranged to store data from the said at least one device.

43. The device of claim 42 which includes a digital camera and a timepiece.

44. The device of claim 43, wherein the digital camera is mounted to face along the barrel defined by the firearm, thereby allowing it to record an image in the direction in which a shot is in use fired.

45. The device of claim 43, wherein the timepiece comprises a real time clock.

46. A firearm device comprising:
a firearm; and
safety means being characterised therein that it comprises an information carrier and gathering means defining an information carrier means separable from the firearm device whereon information can be recorded, and an information gathering means for gathering information from the person to use the firearm; and the safety means further comprising processing means for processing information received from the information carrier and gathering means and allowing firing of the firearm to take place only if the information so received complies with certain requirements, and recording at least one aspect of the group consisting of an image in the direction in which a shot is in used fired, a sound at about the time when a shot is in used fired.

IN THE ABSTRACT:

After the claims, please insert a page containing the Abstract Of The Disclosure, which is attached hereto as a separately typed page.


REMARKS

Examination and allowance of pending claims 24-46 are respectfully requested.

Respectfully submitted,

WEBB ZIESENHEIM LOGSDON
ORKIN & HANSON, P.C.

By



Paul M. Reznick
Registration No. 33,059
Attorney for Applicant
700 Koppers Building
436 Seventh Avenue
Pittsburgh, PA 15219-1818
Telephone: 412-471-8815
Facsimile: 412-471-4094

ART 34 AMEND

REPLACEMENT PAGE

09/890669

1

JC05 Rec'd PCT/PTO 03 AUG 2001

FIREARMTechnical Field

5 This invention relates to a firearm device.

Background Art

It is well known that firearms are often misused, not only by unauthorised
10 users, but also by owners of the firearms. This misuse leads to opposition to
the use and carry of firearms. There is accordingly a great need for a firearm
that is less attractive to be stolen, and more difficult to be used by unauthorised
persons. At the same time it would also be a huge advantage if the firearm
could in some way discourage misuse thereof.

15

International patent application number PCT/AU98/00413 discloses security
measures for electronically operated ammunition and firearms such as pistols.
The electronic controls of the pistol disclosed herein may be armed or
disarmed electronically and includes encoding means which arms the electronic
20 controls to "enable firing of the secured weapon upon the monitoring
authorized code". This code may be electronically personalized to the

1A

individual using the firearm or authorized to use a firearm. The code may be provided on a swipe card or the like carried by the authorized personnel.

Alternatively the code may be biometric data which retains a lifelong distinctive identity of the authorized personnel. This document does not

5 however disclose the recordal of an image by a camera in the direction in which a shot is in used fired or the recordal of a sound at about a time when a shot is in used fired..

International patent application number PCT/US93/10156 discloses a light-

10 energy initiated firing system for a firearm. Optical light-conducting fibres extend from a source of high frequency energy to adjacent a cartridge so that the energy passing through the fibres will pass into the cartridge and initiate a propellant in the cartridge. The firearm cartridge includes an ignition composition (a primer) positioned forward of at least part of the propellant.

15 High frequency energy such as laser energy passes into the cartridge and initiates the forward-positioned propellant. The system includes safety means for interrupting the energy path. Again this document does not disclose recordal of an image or a sound at the time when a shot is in use fired.

20 United States patent 4,309,095 discloses a camera mounting device for mounting a camera to a hunting rifle. The camera is mechanically operated

REPLACEMENT PAGE

1B

when a trigger for the rifle is pulled and a digital camera is not disclosed. The camera of United States patent number 4,309,095 is also attached to the rifle or a telescope for the rifle and is not integral with the rifle or firearm used. The taking of a photograph is not a precondition for the firing of the rifle

5 disclosed in United States patent 4,309,095.

Disclosure of the Invention

According to the present invention a firearm device comprises

10 - a firearm;
- safety means for impeding an unauthorised person to fire the firearm; and

- information storage means for recording and storing at least one aspect of the group consisting of an image in the direction in which a shot is in use fired, sound at about the time when a shot is in use fired, time when a shot is in use fired, and location of the firearm.

5

The firearm may comprise a conventional firearm or any other firearm for firing a projectile. The firearm may comprise a rifle but preferably it comprises a handgun.

- 10 In one preferred embodiment of the invention the firearm may include a laser system for generating a laser beam to ignite a charge to fire a projectile. The firearm preferably also includes an electronic system for controlling firing of the firearm. The firearm may also include a number of barrels and preferably the barrels are pre-loaded with projectiles and charges, which charges are
- 15 ignitable by means of a laser beam. It will be appreciated that radiation other than laser beams may possibly be used to ignite the charge.

The safety means may comprise a mechanical means such as means whereby access to a trigger member on the firearm or pulling of such trigger member

- 20 is blocked, and access to the trigger member or pulling thereof can only be achieved by unlocking the safety means.

00000000000000000000000000000000

In a preferred embodiment the safety means may comprise an information carrier and/or gathering means; and a processing means for processing information received from the information carrier and/or gathering means and

5 allowing firing of the firearm to take place only if the information so received complies with certain requirements.

The information carrier and/or gathering means may include an information carrier means whereupon information can be recorded. The carrier means

10 may comprise a card such as a smart card or similar device. In use the card may have information recorded thereon in respect of, for example, physical information of the authorised user for identifying said user, for example a skin print (particularly a fingerprint) or the like. Information regarding voice, retina, DNA may also be considered. The card may also include details

15 thereon regarding the license of the firearm.

The safety means may also include reading means for reading information on the information carrier means.

20 The information carrier and/or gathering means may include information gathering means which may comprise means for gathering certain physical

information from the person to use the firearm, preferably information whereby said person can be identified. The gathering means may comprise means for recording information such as skin prints (particularly a fingerprint), voice, retina scanning, DNA identification or the like.

5

Preferably the information carrier and/or gathering means includes both an information carrier means and an information gathering means.

The processing means may also include a memory means for storing information therein. In use the processing means may compare information received from the information carrier and/or gathering means with information on the memory means and only allow firing to take place if the information corresponds. The processing means may comprise a micro-processor.

15

In one example the authorised users thumbprint may be stored on the card and it may be stored on the memory means. In use firing will only be allowed by the processing means if the thumbprint on the card is the same as that on the memory of the processing means and the same as that received by the information gathering means which in use takes a thumb print of the person holding the firearm.

The safety mechanism may also be adapted in order that the firearm can be deactivated to prevent firing, in a similar way that a cellular phone is blocked.

5 This can be used to de-activate the firearm when it gets stolen, or when the license expires (if firearm licenses are made valid for a certain period of time only). The firearm can also be programmed to be operational for a specific period of time only, for example when the authorised person (such as a policeman) is on duty.

10 A remote controllable device may also be installed for controlling the firearm device from a remote position.

The information storage means may comprise at least one device of the group consisting of a camera (such as a digital camera) for recording images; a 15 microphone for recording sound; a timepiece for recording time; a GPS for recording position in the form of geographical co-ordinates; and the information storage means further comprising storage means for storing data from the said at least one device. Preferably the information storage means includes all of the said devices.

thereby allowing it to record an image in the direction in which a shot is in use fired.

5 The timepiece may comprise any suitable timepiece for providing time and date. The timepiece may comprise a real time clock.

The firearm device may also include trigger for triggering the information storage means to record and store. Preferably the information storage means is so triggered when a trigger member defined by the firearm is pulled for firing 10 a shot.

According to another aspect of the present invention there is provided a firearm device comprising

15 - a firearm; and
- safety means being characterised therein that it comprises an information carrier and gathering means defining an information carrier means separable from the firearm device whereon information can be recorded, and an information gathering means for gathering information from the person to use the firearm; and the safety means further comprising
20 processing means for processing information received from the information carrier and gathering means and allowing firing of the firearm

to take place only if the in

- formation so received complies with certain requirements.

5 Without thereby limiting the scope of the invention and by means of example only, one embodiment thereof will now be further described with reference to the accompanying drawings wherein:

Figure 1 is a perspective view of a firearm device according to the invention;

10

Figure 2 is a partly sectioned side view of the device of Figure 1; and

Figure 3 is a simplified circuit diagram of the firearm of Figure 1.

15 In the accompanying drawings the same reference numerals are used to denote corresponding parts.

Referring now the drawings the firearm device 10 defines a firearm comprising a grip member 11 and a barrel member 12.

20

The barrel member 12 is releasably secured to the grip member 11 by means

of a clip means [not shown] and locking means [not shown] is provided for locking the barrel member 12 to the grip member 11. In use the barrel member 12 may be replaced with another barrel member. Each barrel member 12 is provided with a unique code. In use the code may be entered against the 5 name of the licensed owner of the firearm device 10. The licensed owner may be allowed to purchase more than one barrel member 12 at a time, depending on specific needs. Different barrel members 12 may include bores of different calibres. In use empty used barrel members 12 may be returned to dealers for credit when new barrel members 12 are purchased.

10

The barrel member 12 includes a number of barrels 13 therein. In this case twelve barrels 13 are provided in 6 pairs. At the rear of each barrel 13, a port 14 is provided for allowing a laser beam to pass through said port 14. The port 14 is closed by means of a closure member 15 made of a glass disc 4mm thick.

15 In use the closure member 15 allows a laser beam to pass though it but is of sufficient strength to withstand the blast of explosive material in the barrel 13, thereby retaining the port 14 closed.

Each barrel 13 is pre-loaded to include a primary loading [not shown] in the 20 form of VH₂ supplied by PMP a division of Denel (Proprietary) Limited; a propellant [not shown] in the form of B556/1 propellant supplied by Somchem

a division of Denel (Proprietary) Limited; and a projectile [not shown] made of a lead compound. The primary loading is located between the closure member 15 and the propellant, while the propellant is located between the primary loading and the projectile. Each projectile may be provided with a

5 unique code whereby it can be identified. A composition [such as wax, preferably a microcrystalline wax] may be provided for retaining the projectile in position and may also serve to lubricate the projectile as it moves through a barrel 13 when fired.

10 In use a laser beam will pass through the port 14 and closure member 15 to ignite the primary loading. The primary loading will in turn ignite the propellant which will propel the projectile through a barrel 13 and away from the device 10.

15 The grip member 11 includes a power source therein in the form of a rechargeable 6 volt battery 20 (including power-conditioning means) for supplying power to the electronic circuitry of the device 10. A battery status monitor 21 in the form of analogue circuitry, monitors the voltage of the battery 20 and is linked to a light emitting diode (LED) 22.1 which is activated

20 when the voltage of the battery 20 drops below a certain predetermined value. The battery 20 may be charged through an interface [not shown] provided for

this purpose.

A processing means in the form of a micro-processor 22 [comprising a TMS 320C32 unit supplied by Texas Instruments] is also provided in the grip member 11. The micro-processor 22 addresses the needs and monitors the functions of the peripherals and external components in the electronic circuit. 5 A ROM 23 in the form of a flash non-volatile memory chip is also provided for storing software and captured information. A RAM 24 in the form of static RAM provides temporary memory.

10

An interface for interfacing with an information carrier means 25 is also provided. The information carrier means is in the form of a smart card 25 [a Multiflex 8K unit supplied by Schlumberger]. The interface comprises a buffer 25.1 [a LTC 1755 unit supplied by Linear Technology]. The smart card 25 is 15 connected to the micro-processor 22 through both the buffer 25.1 and a communications port 26 in the form of a ST16C1550 unit supplied by Startech.

In use information such as personal details of the user, firearm licence information and a thumbprint of the authorised user may be stored on the card 20 25. In use the card 25 is removable from the grip member 11.

An information gathering means in the form of finger print sensor 28 [a Fingertip unit (trade name) supplied by Infineon] is mounted onto the grip member 11 and is coupled to the micro-processor 22 through a discrete I/O signal generator 29.

5

A trigger 30 is also coupled to the micro-processor 22. Trigger 30 comprises a make-break switch and a trigger member 31 is used to close the make-break switch.

10 A timepiece defining a real time clock 42 in the form of a DS 1994 unit supplied by Dallas Semiconductor is also coupled to the micro-processor 22, through a buffer 42.1 and the communications port 26.

15 A camera 32 is coupled to the micro-processor through a buffer 33 and the communications port 26. The camera 32 comprises a digital camera in the form of a HDCS 2000 unit supplied by Hewlett Packard. The camera 32 is mounted in the grip member 11 to face along the barrel member 12 in use to allow an image to be captured in the direction wherein a bullet is fired.

20 The device 10 also includes a status indicator 34 which includes a LED 35 and a liquid crystal display (LCD) 36. The LED 35 indicates when the firearm

device 10 is ready to fire and the LCD 36 indicates which barrels 13 have been fired.

A selection switch [not shown] may also be provided. This switch can be
5 moved to an active position wherein the device 10 can fire and a non-active position wherein the device 10 can be used for practising when no shots will be fired.

The device 10 further includes a programmable logic device [PLD] 37. The
10 PLD includes a glue logic function which ensures logic level compatibility between peripherals and external components in the electronic circuit. It also includes a watchdog timer which will reset the electronic circuitry under certain predetermined conditions such as where the system "hangs-up" or where unauthorised or unrecognised inputs are received. Furthermore, the
15 PLD also includes an interrupt controller which controls the transmission of interrupt input signals to the micro-processor 22 in response to signals received from the peripherals and external components. The transmission of interrupt signals will be priority based depending on the peripheral or external component having data ready to transmit data to the micro-processor 22.

peripherals and components of the electronic circuitry. The interface 38 can be used for downloading information from the ROM 23. The interface 38 may comprise an infra red transceiver comprising a TFDS 4500 unit supplied by Temic connected to the communications port 26 through a buffer 38.1.

5

A laser system comprising laser diodes 39 are also linked to the micro-processor 22 through a buffer 40. The diodes 39 comprise twelve QCW lasers [make IC8611 8E], one for each barrel 13. Each laser diode 39 is provided with an optical system 41 which directs and focuses a laser beam generated by the 10. associated laser diode 39.

Software stored in the ROM 23 and/or PLD 37 and/or micro-processor 22 controls the activation of the laser diodes 39. The laser diodes 39 are normally activated in response to activation of the trigger 30. The laser diodes 39 are 15 activated according to a predetermined sequence. This sequence may be changed by altering the software stored in the electronic circuitry. Said software, the trigger 30 and trigger member 31 defines an electronic system for controlling and firing the device 10.

20 It will be appreciated that the safety means of the device 10 comprises an information carrier and gathering means in the form of an information carrier

means (the card 25); reading means (through the micro-processor 22) for reading the information on the card 25; and information gathering means in the form of the fingerprint sensor 28. The safety means further includes the processing means in the form of the micro-processor 22. The micro-processor 5 22 includes memory means and additional memory is provided through the ROM 23 and RAM 24.

The information storage means of the device 10 comprises the camera 32 and the timepiece in the form of the real time clock 31. The information storage 10 means also includes storage means in the form of the ROM 23 for storing data received from the camera 32 and the real time clock 31.

In order to allow the device 10 to fire, the smart card 25 is inserted in the grip member 11 to communicate with the micro-processor 22. This allows for the 15 reading and writing of information between the micro-processor 22 and the smart card 25. The micro-processor 22 is pre-programmed to include certain information. The micro-processor 25 will then compare information received from the smart card 25 with information stored thereon and if it complies with certain requirements the device 10 will be activated which will be indicated by 20 the LED 35. For example, the smart card 25 and the micro-processor 22 may both include the thumbprint of the authorised user thereon and only if the

print is the same will the device 10 be activated. The smart card 25 may also include information in respect of the firearm licence and the micro-processor 22 may prevent the device 10 from being activated if the licence is not valid (for example if a licence is only valid for a period of time).

The user will also place his thumb on the fingerprint sensor 28 and the micro-processor 22 will compare the print with that stored on the micro-processor 22 and on the smart card 25. Only if the print from the fingerprint sensor 28 is the same as that on the smart card 25 and the same as that stored on the 10 micro-processor 22 will the micro-processor 22 allow the device 10 to fire. If one print is not the same as the others the device 10 will not be allowed to fire.

If the prints are the same and the trigger member 31 is then pulled to close the make-break switch of the trigger 30, the micro-processor 22 will activate the 15 laser diodes 39 sequentially everytime the trigger member 31 is pulled. When a laser diode 39 is activated it will generate a laser beam which passes through an optical system 40, through a port 14 and closure member 15 to ignite the primary loading, causing a shot to be fired. The LCD 36 will indicate which barrels 13 have been fired.

Everytime a shot is fired the image as viewed along the barrel member 12 will

be captured by means of the digital camera 32. The time at which each shot is fired will also be recorded by the real time clock 42 and stored on the ROM 23.

- 5 When a licence is renewed or when a new barrel member 12 is bought it will be possible to check when each shot was fired and at what it was fired. Since each projectile may be provided with a unique code it will also be known which projectile was fired. This information can be downloaded through the interface 38 to a host computer. It is believed that this will result in more
- 10 responsible use of the device 10. The device 10 may also be programmed to be operable for only a certain period of time, and in order to continue use, the firearm will have to be taken to the authorities which can then download information stored on the device 10.
- 15 The device 10 may also include a microphone [not shown] for capturing sounds at about the time the trigger member 31 is pulled. A global positioning system (GPS) may also be included in the device 10 to record the position of the device 10 when a shot is fired. The device 10 may also be programmed not to fire when it is in certain locations (e.g. game parks).

The device 10 may also include a transmitter and/or receiver [not shown].

Through such a receiver the firearm may be de-activated from a remote position e.g. if the device 10 is stolen or if the license expires. Alternatively, if it includes a transmitter, information stored on the device 10 may be transmitted to a remote position. This feature provides a remote controllable

5 device for controlling the firearm device 10 from a remote position.

It will be appreciated that many variations in detail are possible without thereby departing from the scope and spirit of the invention. One such variation is for example to replace at least some of the components in the

10 electronic circuit by an ASIC developed for such a purpose.

REPLACEMENT PAGE

18

CLAIMS

1. A firearm device (10) comprising
 - 5 - a firearm;
 - safety means (22, 25, 28) for impeding an unauthorised person to fire the firearm; and
 - information storage means (23, 31, 32) for recording and storing at least one aspect of the group consisting of an image in the direction in which a shot is in use fired, and a sound at about the time when a shot is in use fired.
- 10 2. The device of claim 1 wherein the firearm comprises a conventional firearm and wherein the information storage means stores a unique code relating to each projectile fired.
- 15 3. The device of claim 1 wherein the firearm includes a laser system (39) for generating a laser beam to ignite a charge to fire a projectile.
- 20 4. The device of claim 3 wherein the firearm includes an electronic system for controlling firing of the firearm.

REPLACEMENT PAGE

18A

5. The device of claim 3 wherein the firearm includes a number of barrels (13) and wherein the barrels (13) are pre-loaded with projectiles and charges, which

DRAFTING BY DRAFTING

charges are ignitable by means of a laser beam.

6. The device of claim 1 wherein the safety means comprises an information carrier and/or gathering means (25, 28); and a processing means (22) for processing information received from the information carrier and/or gathering means and allowing firing of the firearm to take place only if the information so received complies with certain requirements.
7. The device of claim 6 wherein the information carrier and/or gathering means includes an information carrier means whereupon information can be recorded.
8. The device of claim 7 wherein the carrier means comprises a card.
9. The device of claim 8 wherein the card has information recorded thereon in respect of physical information of the authorised user for identifying said user.
10. The device of claim 9 wherein the physical information comprises a fingerprint.

11. The device of claim 7 wherein the safety means (22, 25, 28) includes reading means for reading information on the information carrier means.
12. The device of claim 6 wherein the information carrier and/or gathering means (25, 28) includes information gathering means for gathering certain physical information from the person to use the firearm, whereby said person can be identified.
5
13. The device of claim 12 in which the information gathering means (25, 28) is located on an operatively rear surface of a grip member of the device.
10
14. The device of claim 12 wherein the gathering means (25, 28) comprises means for recording a fingerprint of the person to use the firearm.
15. The device of claim 14 in which the means for recording a fingerprint is located on an operatively rear side of a grip member of the device.
15
16. The device of claim 15 in which the gathering means is located on the device such that a fingerprint of a user of the device can be recorded when the device is located in a holster therefor.
20

REPLACEMENT PAGE

20A

17. The device of claim 6 wherein the information carrier and/or gathering means (25, 28) includes both an information carrier means and an information gathering means.

5 18. The device of claim 6 wherein the processing means includes a memory means (23, 24) for storing information therein and the processing means in use comparing information received from the information carrier and/or gathering means (25, 28) with information on the memory means and only allowing firing to take place if the information corresponds.

00000000000000000000000000000000

REPLACEMENT PAGE

21

19. The device of claim 1 wherein the information storage means (23, 24) is connected to at least one device of the group consisting of a digital camera (32) for recording images, a microphone for recording sound, a timepiece for recording time, and a GPS for recording position in the form of 5 geographical co-ordinates; and the information storage means is arranged to store data from the said at least one device.

20. The device of claim 19 which includes a digital camera (32) and a 10 timepiece (42).

21. The device of claim 20 wherein the digital camera (32) is mounted to face along the barrel (12) defined by the firearm, thereby allowing it to record an image in the direction in which a shot is in use fired.

15

22. The device of claim 20 wherein the timepiece comprises a real time clock (42).

23. A firearm device comprising
20
 - firearm; and
 - safety means (22, 25, 28) being characterised therein that it

21A

comprises an information carrier and gathering means (25, 28)
defining an information carrier means (25) separable from the
firearm device whereon information can be recorded, and an
information gathering means (26, 28)

093906 093906 093906 093906 093906

REPLACEMENT PAGE

22

for gathering information from the person to use the firearm; and
the safety means further comprising processing means (22) for
processing information received from the information carrier
and gathering means (25, 28) and allowing firing of the firearm
5 to take place only if the information so received complies with
certain requirements, and recording at least one aspect of the
group consisting of an image in the direction in which a shot is
in used fired, a sound at about the time when a shot is in used
fired.

FIREARM

ABSTRACT OF THE INVENTION

According to the present invention a firearm device comprises a firearm; safety means for impeding an unauthorised person to fire the firearm; and information storage means for recording and storing at least one aspect of the group consisting of an image in the direction in which a shot is in use fired, sound at about the time when a shot is in use fired, time when a shot is in use fired, and location of the firearm.

10 11 12 13 14 15 16 17 18 19 20

1/3




FIGURE 1

2/3




FIGURE 2




FIGURE 3

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

FIREARM

the specification of which

(check one)

is attached hereto.

was received on _____ as

Application Serial No. _____

and was amended on _____ (if applicable)

was filed as PCT international application

No. PCT/ZA00/00022 on 10 February 2000

and was amended under PCT Article 19 on March 30, 2001

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

<u>99/1099</u> (Number)	<u>South Africa</u> (Country)	<u>11 February 1999</u> (Day/Month/Year Filed)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)

(Filing Date)

(Status)

(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)

(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

William H. Logsdon	22,132	Paul M. Reznick	33,059	Kent E. Baldauf, Jr.	36,082
Russell D. Orkin	25,363	John W. McIlvaine	34,219	Christian E. Schuster	43,908
David C. Hanson	23,024	Blynn L. Shideler	35,034	Thomas J. Clinton	40,561
Frederick B. Ziesenhein	19,438	Julie W. Meder	36,216	Dean E. Geibel	42,570
Richard L. Byrne	28,498	Lester N. Fortney	38,141	Nathan J. Prepelka	43,016
Kent E. Baldauf	25,826	Randall A. Notzen	36,882	Kirk M. Miles	37,891
Barbara E. Johnson	31,198	James G. Porcelli	33,757	Jessica M. Sosenko	47,102
				Gary F. Matz	45,504


Send Correspondence to:

Russell D. Orkin, 700 Koppers Building, 436 Seventh Avenue, Pittsburgh PA 15219-1818

Direct Telephone calls to: (name and telephone number) Russell D. Orkin(412) 471-8815

Full name of sole or first inventor
 Nicolaas Cornelius VAN ZYL

Inventor's signature



6 July 2001 Date

Residence
 11 Bloekom Avenue, Visagie Park, 1490, Nigel Republic of South Africa

Citizenship
 South Africa



Post Office Address
 11 Bloekom Avenue, Visagie Park, 1490, Nigel Republic of South Africa

Full name of second joint inventor, if any

Second inventor's signature

Date

Residence

Citizenship

Post Office Address

(Supply similar information and signature for third and subsequent joint inventors.)